

Austria

Please name the **ISSP module** which the documentation refers to (e.g., “*Health and Health Care / ISSP2011*”):

Religion IV / ISSP 2018

Please name your **country**:

Austria

SEX - Sex of respondent

	National Language	English Translation
<i>Question no. and text</i>	D1. Geschlecht	Sex
<i>Codes/ Categories</i>	1 Männlich	1 Male
	2 Weiblich	2 Female
	3 Anderes	3 Other
<i>Interviewer Instruction</i>		
<i>Translation Note</i>		
<i>Note</i>		

Construction/Recoding:

Country Variable Codes (in translation)	→ SEX
D1 = 1	1. Male
D1 = 2	2. Female
D1 = 3	9. No answer

BIRTH – Year of birth

This question can be asked as an alternative to asking about AGE. If BIRTH is not asked directly, it must be computed by DATEYR ‘year of interview’ minus AGE ‘age of respondent’.

	National Language	English Translation
<i>Question no. and text</i>	D2_opn. Wann sind Sie geboren? Bitte sagen Sie mir Ihr Geburtsjahr	When were you born? Please tell me your year of birth
<i>Codes/ Categories</i>		
<i>Interviewer Instruction</i>		
<i>Translation Note</i>		
<i>Note</i>		

Construction/Recoding: (list lowest, highest, and ‘missing’ codes only, replace terms in [square brackets] with real numbers)

	Country Variable Codes/Construction Rules	→BIRTH
<i>Construction</i>		
<i>Codes</i>	Lowest Value: 1925	[MIN BIRTH]
	Highest Value: 2000	[HIGH BIRTH]
	Missing Value (No answer): 9	9999. No answer

Optional: Recoding Syntax

--

AGE - Age of respondent

This question can be asked as an alternative to asking about BIRTH. If AGE is not asked directly, it must be computed by DATEYR 'year of interview' minus BIRTH 'year of birth'.

	National Language	English Translation
<i>Question no. and text</i>	Derived from BIRTH	
<i>Codes/ Categories</i>		
<i>Interviewer Instruction</i>		
<i>Translation Note</i>		
<i>Note</i>		

Construction/Recoding: (list lowest, highest, and 'missing' codes only, replace terms in [square brackets] with real numbers)

	Country Variable Codes/Construction Rules	→AGE
<i>Construction</i>		
<i>Codes</i>	Lowest value: 18	[MIN AGE]
	Highest value: 93	[HIGH AGE]
	Missing Value (No answer): 9	999. No answer

Optional: Recoding Syntax

```
COMPUTE AGE=2018 - BIRTH.
EXECUTE.
```

EDUCYRS - Education I: years of schooling

	National Language	English Translation
<i>Question no. and text</i>	Not asked; derived from D3	
<i>Codes/ Categories</i>		
<i>Interviewer Instruction</i>		
<i>Translation Note</i>		
<i>Note</i>	Derived from D3	

Filter Variable(s) and Conditions:

--

Country Variable Codes/Construction Rules	→ EDUCYRS
D3 = 1 (No compulsory school)	4 years
D3 = 2 (compulsory school)	9 years
D3 = 3 (compulsory school + vocational training; vocational training takes 3 years, but only part of this time is spent in school)	10
D3 = 4 (vocational middle school)	11
D3 = 5 (general higher school)	12
D3 = 6 (vocational higher school)	13
D3 = 7 (bachelor degree at university of applied sciences / university of teacher education)	16
D3 = 8 (bachelor degree at university)	15
D3 = 9 (diploma degree / master degree at university of applied sciences)	17
D3 = 10 (diploma degree / master degree at university)	17
D3 = 11 (Postgraduate university course (based on Diploma, for example, MBA))	19
D3 = 12 (Ph.D.)	21
D3 = 99 (No answer)	99. No answer

Optional: Recoding Syntax

```
RECODE D3 (1=4) (2=9) (3=10) (4=11) (5=12) (6=13) (7=16) (8=15) (9=17) (10=17) (11=19)
(12=21) (99=99) INTO EDUCYRS.
EXECUTE.
```

nat_DEGR - Country-specific highest completed degree of education

	National Language	English Translation
<i>Question no. and text</i>	D3: Welchen höchsten Schulabschluss haben Sie?	What is your highest completed School degree?
<i>Codes/ Categories</i>	1 = Kein Pflichtschulabschluss	1 = No compulsory school
	2 = Pflichtschule	2 = Compulsary school finished
	3 = Lehre	3 = Vocational training
	4 = Berufsbildende mittlere Schule (z.B. Handelsschule)	4 = vocational middle school
	5 = Allgemeinbildende höhere Schule (AHS)	5 = general higher school
	6 = Berufsbildende höhere Schule (BHS, z.B. HAK, HTL)	6 = vocational higher school
	7 = Bachelor an Fachhochschule /Pädagogische Hochschule	7 = Bachelor at university of applied sciences / university of teacher education
	8 = Bachelor an Universität	8 = Bachelor at university
	9 = Diplomabschluss/Master an Fachhochschule	9 = diploma degree / master degree at university of applied sciences
	10 = Diplomabschluss/Master an Universität	10 = diploma degree / master degree at university
	11 = Postgradualen Universitätslehrgang (aufbauend auf Master- oder Diplomabschluss, z.B. MBA)	11 = Postgraduate university course (based on Master- or Diploma, for example, MBA)
	12 = Doktorat	12 = Ph.D.
<i>Interviewer Instruction</i>		
<i>Translation Note</i>		
<i>Note</i>		

Filter Variable(s) and Conditions:

--

Construction/Recoding:

Country Variable Codes/Construction Rules	→ nat_DEGR
	0 NAP, other countries
1	1 Incomplete compulsory education
2	2 Compulsory school finished, primary completed, 'Hauptschule'
3	3 Apprenticeship completed
4	4 Middle school, vocational
5	5 Secondary completed, general higher school, Matura
6	6 Higher professional school, BHS
7, 8	7 Bachelor Degree, Bachelor at

	university of applied sciences/ university of teacher education, Bachelor at university
9, 10, 11, 12	8 Master Degree (university of applied sciences and university), Dr. PhD, Diploma degree, Postgraduate university course
99	99 No answer

Optional: Recoding Syntax

```
RECODE D3 (1=1) (2=2) (3=3) (4=4) (5=5) (6=6) (7=7) (8=7) (9=8) (10=8) (11=8) (12=8)
(99=99) INTO AT_DEGR.
EXECUTE.
```

DEGREE – R: Education II: categories

	National Language	English Translation
<i>Question no. and text</i>	Not asked; derived from D3	
<i>Codes/ Categories</i>		
<i>Interviewer Instruction</i>		
<i>Translation Note</i>		
<i>Note</i>		

Filter Variable(s) and Conditions:

--

Construction/Recoding:

Country Variable Codes/Construction Rules	→DEGREE
D3 = 1	0. No formal education
-	1. Primary school (elementary education)
D3 = 2	2. Lower secondary (secondary completed that does not allow entry to university: end of obligatory school)
D3 = 3	2
D3 = 4	2
D3 =5	3. Upper secondary (programs that allows entry to university)
D3 =6	4. Post secondary, non-tertiary (other upper secondary programs toward the labour market or technical formation)
D = 7	5. Lower level tertiary, first stage (also technical schools at a tertiary level)
D3 =8	5
D3 =9	6. Upper level tertiary (Master, Doctor)
D3 =10	6
D3 =11	6
D3 =12	6
D3 = 99	9. No answer

Optional: Recoding Syntax

```
RECODE D3 (1=0) (2=2) (3=2) (4=2) (5=3) (6=4) (7=5) (8=5) (9=6) (10=6) (11=6) (12=6) (99=9)
INTO DEGREE.
EXECUTE.
```


WORK – Currently, formerly, or never in paid work

	National Language	English Translation
<i>Question no. and text</i>	D5: Wie viele Stunden sind Sie normalerweise pro Woche beruflich tätig? – Gemeint sind dabei auch mögliche berufliche Nebentätigkeiten? Falls Sie mehrere Jobs haben, wie viele Stunden arbeiten Sie insgesamt?	How many hours do you usually work every week? Additional business should be included as well. If you have more than one job, how many hours do you work altogether?
<i>Codes/ Categories</i>	0 = Bin gar nicht beruflich tätig	0 = don't work
	1 = Anzahl der Stunden (größer als 0, kleiner als 96)	1 = Number of hours (bigger than 0, smaller than 96)
	96 = 96 hours or more	96 = 96 hours or more
	98 = Weiß nicht	98 = don't know
	99 = Keine Angabe	99 = no answer
<i>Question no. and text</i>	D6: Waren Sie irgendwann schon einmal erwerbstätig?	Have you ever been employed?
	1 = ja	1 = yes
	2 = nein	2 = no
	9 = Keine Angabe	9 = no answer
<i>Interviewer Instruction</i>		
<i>Translation Note</i>		
<i>Note</i>		

Filter Variable(s) and Conditions:

Filter D6: Only asked if D5 is NOT 1 OR D5 is NOT 96 (therefore, D6 only asked if individual is not working)

Construction/Recoding:

Country Variable Codes/Construction Rules	→WORK
If D5 = 1 OR D5 = 96	1. Currently in paid work
D6 = 1	2. Currently not in paid work, paid work in the past
D6 = 2	3. Never had a paid work
D5 = 98 OR D5 = 99 OR D6 = 9	9. No answer

Optional: Recoding Syntax

RECODE D5 (98=9) (99=9) (1=1) (96=1) INTO WORK.
EXECUTE.

RECODE D6 (1=2) (2=3) (9=9) INTO WORK.
EXECUTE.

WRKHRS – Hours worked weekly

	National Language	English Translation
<i>Question no. and text</i>	D5_opn: Wie viele Stunden sind Sie normalerweise pro Woche beruflich tätig? – Gemeint sind dabei auch mögliche berufliche Nebentätigkeiten? Falls Sie mehrere Jobs haben, wie viele Stunden arbeiten Sie insgesamt?	How many hours do you usually work every week? Additional business should be included as well. If you have more than one job, how many hours do you work altogether?
<i>Codes/ Categories</i>	Metrisch	Metric
	96 = 96 hours or more	96 = 96 hours or more
	98 = Weiß nicht	98 = don't know
	99 = Keine Angabe	99 = no answer
<i>Interviewer Instruction</i>		
<i>Translation Note</i>		
<i>Note</i>		

Filter Variable(s) and Conditions:

Ask if D5 IS NOT 0

Country Variable Codes/Construction Rules	→WRKHRS
...	1. One hour
...	...
D5_opn = 96	96. 96 hours and more
D5_opn = 98	98. Don't know
D5_opn = 99	99. No answer
If WORK = 2 OR Work = 3	00. NAP (Code 2 or 3 in WORK)

Optional: Recoding Syntax

EMPREL – Employment relationship

	National Language	English Translation
<i>Question no. and text</i>	D9: Was ist bzw. war Ihre berufliche Stellung?	What is your / was your employment status?
<i>Codes/ Categories</i>	1 = Unselbstständig beschäftigt (Angestellte, Arbeiter)	Employee
	2 = Selbstständig ohne Angestellte	Self-employed without employees
	3 = Selbstständig mit Angestellten	Self-employed with employees
	4 = Mithelfendes Familienmitglied	Working for own family's business
	8 = Keine Angabe	No answer
<i>Interviewer Instruction</i>		
<i>Translation Note</i>		
<i>Note</i>		

Filter Variable(s) and Conditions:

Ask if (D5 = 1 OR D5 = 96) OR D6 = 1. Thus, asked if individual is working or was working in the past

Country Variable Codes/Construction Rules	→EMPREL
D9 = 1	1. Employee
D9 = 2	2. Self-employed without employees
D9 = 3	3. Self-employed with employees
D9 = 4	4. Working for own family's business
D9 = 8	9. No answer
sysmis	0. NAP (Code 3 in WORK)

Optional: Recoding Syntax

RECODE D9 (1=1) (2=2) (3=3) (4=4) (8=9) (SYSMIS=0) INTO EMPREL.
EXECUTE.

NEMPLOY - Self employed: how many employees

	National Language	English Translation
<i>Question no. and text</i>	D10_opn: Wie viele Angestellte haben bzw. hatten Sie?	How many employees do/did you have?
<i>Codes/ Categories</i>	Metrisch	Metric
	9995 = 9995 Angestellte oder mehr	9995 employees or more
	9999 = Keine Angabe	Don't know
<i>Interviewer Instruction</i>		
<i>Translation Note</i>		
<i>Note</i>		

Filter Variable(s) and Conditions:

Ask if D9 = 3

Country Variable Codes/Construction Rules	→NEMPLOY
...	1. 1 employee
	...
D10_opn = 9995	9995. 9995 employees or more
D10_opn = 9999	9999. No answer
sysmis	0000. NAP (Code 1, 2, 4, 0 in EMPREL)

Optional: Recoding Syntax

WRKSUP - Supervise other employees

	National Language	English Translation
<i>Question no. and text</i>	D11: Gehört bzw. Gehörte es zuletzt zu Ihren Aufgaben, andere Mitarbeiter anzuleiten oder ihre Arbeit zu beaufsichtigen	It is or was it one of your responsibilities to guide other employees or oversee their work
<i>Codes/ Categories</i>	1 = Ja	Yes
	2 = Nein	No
	9 = Keine Angabe	No answer
<i>Interviewer Instruction</i>		
<i>Translation Note</i>		
<i>Note</i>		

Filter Variable(s) and Conditions:

Ask if (D5 = 1 OR D5 = 96) OR D6 = 1. Thus, asked if individual is working or was working in the past

Construction/Recoding:

Country Variable Codes/Construction Rules	→WRKSUP
D11 = 1	1. Yes
D11 = 2	2. No
D11 = 9	9. No answer
sysmis	0. NAP (Code 3 in WORK)

Optional: Recoding Syntax

RECODE D11 (1=1) (2=2) (9=9) (SYSMIS=0) INTO WRKSUP.
EXECUTE.

NSUP – Number of other employees supervised

	National Language	English Translation
<i>Question no. and text</i>	D12_opn: Wie viele Mitarbeiter beaufsichtigen Sie/haben Sie beaufsichtigt?	How many employees do/did you supervise?
<i>Codes/ Categories</i>	Metrisch	Metric
	9995 = 9995 Personen oder mehr	9995 employees or more
	9999 = Keine Angabe	No answer
<i>Interviewer Instruction</i>		
<i>Translation Note</i>		
<i>Note</i>		

Filter Variable(s) and Conditions:

If D11 = 1

Construction/Recoding:

Country Variable Codes/Construction Rules	→ NSUP
	1. 1 employee
	...
9995	9995. 9995 employees or more
9999	9999. No answer
sysmis	0000. NAP. (Code 2, 0 in WRKSUP)

Optional: Recoding Syntax

IF (WRKSUP = 9) NSUP=9999.
EXECUTE.

TYPORG1 – Type of organisation, for-profit/non-profit

	National Language	English Translation
<i>Question no. and text</i>	Not asked	
<i>Codes/ Categories</i>		
<i>Interviewer Instruction</i>		
<i>Translation Note</i>		
<i>Note</i>		

Filter Variable(s) and Conditions:

--

Construction/Recoding:

Country Variable Codes/Construction Rules	→TYPORG1
	1. For-profit organisation
	2. Non-profit organisation
	8. Don't know
	9. No answer
	0. NAP (Code 3 in WORK)

Optional: Recoding Syntax

--

TYPORG2 – Type of organisation, public/private

	National Language	English Translation
<i>Question no. and text</i>	D7: Wo sind Sie derzeit beschäftigt bzw. wo waren Sie zuletzt beschäftigt	Where are you currently employed resp. where were you employed the last time?
<i>Codes/ Categories</i>	1 = Im öffentlichen Dienst	Employed in the public sector
	2 = In der Privatwirtschaft	Employed in the private sector
	3 = Keine Angabe	Now answer
<i>Interviewer Instruction</i>		
<i>Translation Note</i>		
<i>Note</i>		

Filter Variable(s) and Conditions:

Ask if (D5 = 1 OR D5 = 96) OR D6 = 1. Thus, asked if individual is working or was working in the past

Construction/Recoding:

Country Variable Codes/Construction Rules	→TYPORG2
D7 = 1	1. Public employer
D7 = 2	2. Private employer
	8. Don't know
D7 = 3	9. No answer
sysmis	0. NAP (Code 3 in WORK)

Optional: Recoding Syntax

RECODE D7 (1=1) (2=2) (3=9) (SYSMIS=0) INTO TYPORG2.
EXECUTE.

ISCO08 - Occupation ISCO 2008

Please give the text of the source question(s) on the respondent's occupation used in your field questionnaire. If ISCO08-codes are not coded directly from the responses, but derived from a country-specific occupation coding scheme, please provide a table of correspondence between country-specific and ISCO08 codes *attached as a separate file*. Also when you derive ISCO08 from another ISCO scheme, such as ISCO88, ISCO-COM (a variant developed for the European Union (EU)), or ISCO88-CIS developed by the Statistical Committee of the Commonwealth of Independent States, please document the source code and provide a correspondence list.

Please do **not** enter **standard** ISCO08 codes here, but report any deviations. **However, please note that country-specific codes, which are not part of the ISCO coding scheme cannot be accepted!**

Occupations should be coded on the 4-digit level of ISCO08. Occupational area 0 (Armed Forces occupations) needs some special attention. Since the ISCO variable is numeric, 4-digit codes starting with zero, such as 0110 will usually appear as 110 in the data file. It is therefore suggested that the only valid 3-digit codes in the data file are those armed forces occupations 110, 210 and 310.

In some special cases information concerning the occupation may be insufficient for 4-digit coding. Instead of coding these cases as [9998] "inadequately described" use 3-digit coding. In those very special cases where 3-digit coding is applied, fill in a zero for the missing digit. Example: code 131 is coded as 1310.

	National Language	English Translation
<i>Question no. and text</i>	D8_ISCO: Welche berufliche Tätigkeit üben Sie aus bzw. übten Sie zuletzt aus)? (Wenn Sie mehrere berufliche Tätigkeiten haben/hatten, geben Sie bitte Ihre Haupttätigkeit an). Bitte sagen Sie mir den genauen Namen des Berufes.	What kind of occupation do/did you do? (If you have more then one job please consider your main job). Please tell me the exact name of you job.
<i>Codes/ Categories deviating from ISCO08</i>	ISCO08 4-stellig	ISCO08 4-digits
	-98 = Weiß nicht / nicht zuordenbar	Don't know / not assignable
	-99 = Keine Angabe	No answer
<i>Interviewer Instruction</i>		
<i>Translation Note</i>		
<i>Note</i>		
<i>Use of ISCO</i>	ISCO08 (ILO) <input type="checkbox"/> Please specify any other source code _____	

Filter Variable(s) and Conditions:

Ask if (D5 = 1 OR D5 = 96) OR D6 = 1. Thus, asked if individual is working or was working in the past.

Construction/Recoding:

Country Variable Codes/ Construction Rules	→ ISCO08
	0110. (ISCO08 unit codes)
	...
	9629. (ISCO08 unit codes)
-98	9998. Don't know; inadequately described
-99	9999. No answer
	0000. NAP (Code 3 in WORK)

Optional: Recoding Syntax

--

MAINSTAT – Main status

	National Language	English Translation
<i>Question no. and text</i>	D4: Sind Sie derzeit in erster Linie ...?	Predominantly, are you currently...?
<i>Codes/ Categories</i>	1 = beschäftigt bzw. Berufstätig (auch mithelfende Familienangehörige)	1 = employed (includes working for own family's business as well)
	2 = Lehrling oder Praktikant	2 = apprentice or trainee
	3 = arbeitslos oder arbeitssuchend	3 = unemployed or seeking work
	4= in Karenz	4= on maternity leave
	5 = Zivildienst, Wehrdienst	5 = community service, military service
	6 = Pensionist/in, Rentner/in	6 = retiree
	7 = Hausfrau/Hausmann	7 = housewife / househusband
	8 = Schüler/in, Student/in	8 = pupil / student
	9 = Arbeitsunfähig, in Invaliditätspension	9 = Unable to work, in invalidity pension
	10 = aus anderen Gründen nicht erwerbstätig	10 = not working for other reasons
	99 = Keine Angabe	99 = no answer
<i>Interviewer Instruction</i>		
<i>Translation Note</i>		
<i>Note</i>		

Filter Variable(s) and Conditions:

--

Construction/Recoding:

Country Variable Codes/Construction Rules	→MAINSTAT
D4 = 1	1. In paid work
D4 = 3	2. Unemployed and looking for a job
D4 = 8	3. In education
D4 = 2	4. Apprentice or trainee
D4 = 9	5. Permanently sick or disabled
D4 = 6	6. Retired
D4 = 7	7. Domestic work
D4 = 5	8. In compulsory military service or community service
D4 = 4	9. Other
D4 = 10	9.
D4 = 99	99. No answer

Optional: Recoding Syntax

RECODE D4 (1=1) (3=2) (8=3) (2=4) (9=5) (6=6) (7=7) (5=8) (4=9) (99=99) (10=9) INTO MAINSTAT. EXECUTE.
--

PARTLIV – Living in steady partnership

	National Language	English Translation
<i>Question no. and text</i>	D14: Leben Sie derzeit mit Ihrem Ehepartner bzw. mit einem Lebensgefährten bzw. einer Lebensgefährtin zusammen? Oder haben Sie einen festen Partner (feste Partnerin), mit der Sie aber nicht zusammenleben?	Do you currently live together with your husband/wife or your spouse? Or do you have a partner but don't live in the same household?
<i>Codes/ Categories</i>	1 = Ja, lebe mit Partner/in zusammen	Yes, living together with partner
	2 = Habe feste Partnerin/Partner, lebe aber nicht zusammen	Yes, have partner, but don't live together
	3 = Nein, weder noch	No, neither have a partner nor live together
	9 = Keine Angabe	No answer
<i>Interviewer Instruction</i>		
<i>Translation Note</i>		
<i>Note</i>		

Filter Variable(s) and Conditions:

--

Construction/Recoding:

Country Variable Codes/Construction Rules	→PARTLIV
D14 = 1	1. Yes, have partner; live in same household
D14 = 2	2. Yes, have partner; don't live in same household
D14 = 3	3. No partner
	7. Refused
D14 = 9	9. No answer

Optional: Recoding Syntax

RECODE D14 (1=1) (2=2) (3=3) (9=9) INTO PARTLIV. EXECUTE.
--

SPWORK – Spouse, partner: currently, formerly or never in paid work

	National Language	English Translation
<i>Question no. and text</i>	D16: Wie viele Stunden arbeitet Ihr Partner bzw. Ihre Partnerin normalerweise pro Woche in einer bezahlten Tätigkeit, einschließlich Überstunden? Gemeint sind dabei auch mögliche beufliche Nebentätigkeiten? Wenn er bzw. Sie mehrere bezahlte Tätigkeiten hat, zählen Sie bitte die gesamten Arbeitsstunden zusammen.	How many hours does your partner usually work every weak including overtime? Occupational secondary activities should be considered as well. If he or she has more than one job, please report total working hours.
<i>Codes/ Categories</i>	0 = Ist gar nicht beruflich tätig	Partner doesn't work
	1 = Anzahl der Stunden (größer als 0, kleiner als 96)	Number of hours (bigger then 0, smaller then 96)
	96 = 96 hours or more	96 hours or more
	98 = Weiß nicht	don't know
	99 = Keine Angabe	No answer
<i>Question no. and text</i>	D17: War Ihre Partnerin bzw. Ihr Partner früher einmal erwerbstätig?	Has your partner ever been employed?
	1 = Ja	Yes
	2 = Nein	No
	8 = Weiß nicht	Don't know
	9 = Keine Angabe	No answer
<i>Interviewer Instruction</i>		
<i>Translation Note</i>		
<i>Note</i>		

Filter Variable(s) and Conditions:

Filter D16: Only asked if D14 IS NOT 3

Filter D17: Only asked if D16 is NOT 1 OR D16 is NOT 96 (therefore, D17 only asked if partner is not working)

Construction/Recoding:

Country Variable Codes/Construction Rules	→SPWORK
D16 = 1 OR D16 = 96	1. Currently in paid work
D17 = 1	2. Currently not in paid work, paid work in the past
D17 = 2	3. Never had paid work
D16 = 98 OR D16 = 99 OR D17 = 8 OR D17 = 9	9. No answer
sysmis	0. NAP (Code 3 or 7 in PARTLIV)

Optional: Recoding Syntax

```
RECODE D16 (1=1) (96=1) (98=9) (99=9) INTO SPWORK.
EXECUTE.
RECODE D17 (1=2) (2=3) (8=9) (9=9) INTO SPWORK.
EXECUTE.
RECODE SPWORK (SYSMIS=0).
EXECUTE.
```

SPWRKHRS – Spouse, partner: hours worked weekly

	National Language	English Translation
<i>Question no. and text</i>	D16_opn: Wie viele Stunden arbeitet Ihr Partner bzw. Ihre Partnerin normalerweise pro Woche in einer bezahlten Tätigkeit, einschließlich Überstunden? Gemeint sind dabei auch mögliche beufliche Nebentätigkeiten? Wenn er bzw. Sie mehrere bezahlte Tätigkeiten hat, zählen Sie bitte die gesamten Arbeitsstunden zusammen.	How many hours does your partner usually work every weak including overtime? Occupational secondary activities should be considered as well. If he or she has more than one job, please report total working hours.
<i>Codes/ Categories</i>	Metrisch	Metric
	96 = 96 hours or more	96 = 96 hours or more
	98 = Weiß nicht	98 = don't know
	99 = Keine Angabe	99 = no answer
<i>Interviewer Instruction</i>		
<i>Translation Note</i>		
<i>Note</i>		

Filter Variable(s) and Conditions:

Only asked if D16 IS NOT 0

Construction/Recoding:

Country Variable Codes/Construction Rules	→SPWRKHRS
...	1. 1 hour
	...
D16_opn = 96	96. 96 hours or more
D16_opn = 98	98. Don't know
D16_opn = 99	99. No answer
Sysmis	00. NAP (Code 0, 2 or 3 in SPWORK)

Optional: Recoding Syntax

--

SPEMPREL – Spouse, partner: employment relationship

	National Language	English Translation
<i>Question no. and text</i>	D19: Ist bzw. war Ihr Partner bzw. Ihre Partnerin...?	Is your partner or was your partner...?
<i>Codes/ Categories</i>	1 = Unselbstständig beschäftigt (Angestellte, Arbeiter)	Employee
	2 = Selbstständig ohne Angestellte	Self-employed without employees
	3 = Selbstständig mit Angestellten	Self-employed with employees
	4 = Mithelfendes Familienmitglied	Working for own family's business
	8 = Weiß nicht	Don't know
	9 = Keine Angabe	No answer
<i>Interviewer Instruction</i>		
<i>Translation Note</i>		
<i>Note</i>		

Filter Variable(s) and Conditions:

Asked if (D16 = 1 OR D16 = 96) OR D17 = 1. Thus, asked if partner is working or was working in the past

Construction/Recoding:

Country Variable Codes/Construction Rules	→SPEMPREL
D19 = 1	1. Employee
D19 = 2	2. Self-employed without employees
D19 = 3	3. Self-employed with employees
D19 = 4	4. Working for own family's business
D19 = 8 OR D19 = 9	9. No answer
sysmis	0. NAP (Code 0, 3 in SPWORK)

Optional: Recoding Syntax

RECODE D19 (1=1) (2=2) (3=3) (4=4) (8=9) (9=9) (SYSMIS=0) INTO SPEMPREL.
EXECUTE.

SPWRKSUP – Spouse, partner: supervise other employees

	National Language	English Translation
<i>Question no. and text</i>	D20: Gehört bzw. gehörte es zu den Aufgaben Ihres Partners/Ihrer Partnerin, andere Mitarbeiter anzuleiten oder ihre Arbeit zu beaufsichtigen?	It is or was it one of the responsibilities of your partner to guide other employees or oversee their work?
<i>Codes/ Categories</i>	1 = Ja	Yes
	2 = Nein	No
	8 = Weiß nicht	Don't know
	9 = Keine Angabe	No answer
<i>Interviewer Instruction</i>		
<i>Translation Note</i>		
<i>Note</i>		

Filter Variable(s) and Conditions:

Asked if (D16 = 1 OR D16 = 96) OR D17 = 1. Thus, asked if partner is working or was working in the past.

Construction/Recoding:

Country Variable Codes/Construction Rules	→SPWRKSUP
D20 = 1	1. Yes
D20 = 2	2. No
D20 = 8 OR D20 = 9	9. No answer
sysmis	0. NAP (Code 0, 3 in SPWORK)

Optional: Recoding Syntax

RECODE D20 (1=1) (2=2) (8=9) (9=9) (SYSMIS=0) INTO SPWRKSUP.
EXECUTE.

SPISCO08 – Spouse, partner: occupation ISCO 2008

Please give the text of the source question(s) on the respondent's spouse occupation used in your field questionnaire. If ISCO08-codes are not coded directly from the responses, but derived from a country-specific occupation coding scheme, please provide a table of correspondence between country-specific and ISCO08 codes *attached as a separate file*. Also when you derive ISCO08 from another ISCO scheme, such as ISCO88, ISCO-COM (a variant developed for the European Union (EU)), or ISCO88-CIS developed by the Statistical Committee of the Commonwealth of Independent States, please document the source code and provide a correspondence list.

Please do **not** enter **standard** ISCO08 codes here, but report any deviations. **However, please note that country-specific codes, which are not part of the ISCO coding scheme cannot be accepted!**

Occupations should be coded on the 4-digit level of ISCO08. Occupational area 0 (Armed Forces occupations) needs some special attention. Since the ISCO variable is numeric, 4-digit codes starting with zero, such as 0110 will usually appear as 110 in the data file. It is therefore suggested that the only valid 3-digit codes in the data file are those armed forces occupations 110, 210 and 310.

In some special cases information concerning the occupation may be insufficient for 4-digit coding. Instead of coding these cases as [9998] "inadequately described" use 3-digit coding. In those very special cases where 3-digit coding is applied, fill in a zero for the missing digit. Example: code 131 is coded as 1310.

	National Language	English Translation
<i>Question no. and text</i>	D18_ISCO: Welche berufliche Tätigkeit übt Ihr Partner bzw. Ihre Partnerin aus (bzw. übte es zuletzt aus)? (Wenn er bzw. sie mehrere berufliche Tätigkeiten hat/hatte, geben Sie bitte die Haupttätigkeit an). Bitte sagen Sie mir den genauen Namen des Berufes.	What kind of occupation does your partner have? (If he or she has more than one job please consider the main job). Please tell me the exact name of your job.
<i>Codes/ Categories deviating from ISCO08</i>	ISCO08 4-stellig	ISCO08 4-digits
	-98 = Weiß nicht / nicht zuordenbar	Don't know / not assignable
	-99 = Keine angabe	No answer
<i>Interviewer Instruction</i>		
<i>Translation Note</i>		
<i>Note</i>		
<i>Use of ISCO</i>	ISCO08 (ILO) <input type="checkbox"/> Please specify any other source code _____	

Filter Variable(s) and Conditions:

Asked if (D16 = 1 OR D16 = 96) OR D17 = 1. Thus, asked if partner is working or was working in the past

Construction/Recoding:

Country Variable Codes/ Construction Rules	➔ SPISCO08
...	0110. (ISCO08 unit codes)
	...
	9629. (ISCO08 unit codes)
D18_ISCO = -98	9998. Don't know; inadequately described
D18_ISCO = -99	9999. No answer
sysmis	0000. NAP (Code 0, 3 in SPWORK)

Optional: Recoding Syntax

--

SPMAINST – Spouse, partner: main status

	National Language	English Translation
<i>Question no. and text</i>	D15: Ist Ihr Partner bzw. Ihre Partnerin derzeit in erster Linie...?	Predominantly, is your partner currently...?
<i>Codes/ Categories</i>	1 = beschäftigt bzw. Berufstätig (auch mithelfende Familienangehörige)	1 = employed (includes working for own family's business as well)
	2 = Lehrling oder Praktikant	2 = apprentice or trainee
	3 = arbeitslos oder arbeitssuchend	3 = unemployed or seeking work
	4= in Karenz	4= on maternity leave
	5 = Zivildienst, Wehrdienst	5 = community service, military service
	6 = Pensionist/in, Rentner/in	6 = retiree
	7 = Hausfrau/Hausmann	7 = housewife / househusband
	8 = Schüler/in, Student/in	8 = pupil / student
	9 = Arbeitsunfähig, in Invaliditätspension	9 = Unable to work, in invalidity pension
	10 = aus anderen Gründen nicht erwerbstätig	10 = not working for other reasons
	88 = Weiß nicht	88 = don't know
	99 = Keine Angabe	99 = no answer
<i>Interviewer Instruction</i>		
<i>Translation Note</i>		
<i>Note</i>		

Filter Variable(s) and Conditions:

Asked if D14 IS NOT 3

Construction/Recoding:

Country Variable Codes/Construction Rules	→SPMAINST
D15 = 1	1. In paid work
D15 = 3	2. Unemployed and looking for a job
D15 = 8	3. In education
D15 = 2	4. Apprentice or trainee
D15 = 9	5. Permanently sick or disabled
D15 = 6	6. Retired
D15 = 7	7. Domestic work
D15 = 5	8. In compulsory military service or community service
D15 = 4 OR 15 = 10	9. Other
D15 = 88 OR D15 = 99	99. No answer
sysmis	00. NAP (Code 3 or 7 in PARTLIV)

Optional: Recoding Syntax

RECODE D15 (1=1) (3=2) (8=3) (2=4) (9=5) (6=6) (7=7) (5=8) (4=9) (10=9) (88=99) (99=99) (SYSMIS=0) INTO SPMAINST.
EXECUTE.

UNION – Trade union membership

	National Language	English Translation
<i>Question no. and text</i>	D21: Sind oder waren Sie Mitglied des österreichischen Gewerkschaftsbundes?	Are you or have you been a member of the Austrian Trade Union?
<i>Codes/ Categories</i>	1 = Ja, derzeit	Yes, currently
	2 = Nein, aber früher einmal	No, but in the past
	3 = Nein, nie	No, never
	8 = keine Angabe	No answer
<i>Interviewer Instructions</i>		
<i>Translation Note</i>		
<i>Note</i>		

Filter Variable(s) and Conditions:

--

Construction/Recoding:

Country Variable Codes/Construction Rules	→UNION
D21 = 1	1. Yes, currently
D21 = 2	2. Yes, previously but not currently
D21 = 3	3. No, never
	7. Refused
D21 = 8	9. No answer

Optional: Recoding Syntax

RECODE D21 (1=1) (2=2) (3=3) (8=9) INTO UNION.
EXECUTE.

nat_RELIG – Country-specific religious affiliation

	National Language	English Translation
<i>Question no. and text</i>	C24: Welcher Religionsgemeinschaft gehören Sie an?	Which denomination do you belong to?
<i>Codes/ Categories</i>	1 der römisch-katholischen Kirche	1 Roman Catholic church
	2 der evangelischen Kirche (ohne Freikirchen)	2 Lutheran Church (without free churches)
	3 Einer evangelischen Freikirche	3 Lutheran free church
	4 einer christlich-orthodoxen Religionsgemeinschaft	4 Christian-orthodox denomination
	5 einer anderen christlichen Religionsgemeinschaft	5 Other Christian denomination
	6 einer islamischen Religionsgemeinschaft	6 Muslim denomination
	7 einer jüdischen Religionsgemeinschaft	7 Jewish denomination
	8 einer buddhistischen Religionsgemeinschaft	8 Buddhist denomination
	9 einer hinduistischen Religionsgemeinschaft	9 Hindu denomination
	10 einer anderen nicht-christlichen Religionsgemeinschaft	10 Other non-christian denomination
	11 keiner Religionsgemeinschaft	11 No denomination
	98 Kann/will ich nicht sagen	98 Cannot tell / don't want to tell
<i>Interviewer Instruction</i>		
<i>Translation Note</i>		
<i>Note</i>		

Filter Variable(s) and Conditions:

--

Construction/Recoding:

Country Variable Codes/Construction Rules	→ nat_RELIG
C24 = 11	0. No religion
C24 = 1	1. Catholic
C24 = 2	2. Lutheran
C24 = 3	3. Protestant free church
C24 = 4	4. Orthodox
C24 = 5	5. Other Christians
C24 = 6	6. Islamic
C24 = 7 OR C24 = 8 OR C24 = 9 OR C24 = 10	7. Other non-christians
	990. NAP, other countries
C24 = 98	997. Refused

Country Variable Codes/Construction Rules	➔ nat_RELIG
	999. No answer

Optional: Recoding Syntax

```
RECODE C24 (11=0) (1=1) (2=2) (3=3) (4=4) (5=5) (6=6) (7=7) (8=7) (9=7) (10=7) (98=997)
INTO AT_RELIG.
EXECUTE.
```

ISSP 2018 Austria

RELIGGRP- Groups of religious affiliations

	National Language	English Translation
<i>Question no. and text</i>	C24: Welcher Religionsgemeinschaft gehören Sie an?	Which denomination do you belong to?
<i>Codes/ Categories</i>	1 der römisch-katholischen Kirche	1 Roman Catholic church
	2 der evangelischen Kirche (ohne Freikirchen)	2 Lutheran Church (without free churches)
	3 Einer evangelischen Freikirche	3 Lutheran free church
	4 einer christlich-orthodoxen Religionsgemeinschaft	4 Christian-orthodox denomination
	5 einer anderen christlichen Religionsgemeinschaft	5 Other Christian denomination
	6 einer islamischen Religionsgemeinschaft	6 Muslim denomination
	7 einer jüdischen Religionsgemeinschaft	7 Jewish denomination
	8 einer buddhistischen Religionsgemeinschaft	8 Buddhist denomination
	9 einer hinduistischen Religionsgemeinschaft	9 Hindu denomination
	10 einer anderen nicht-christlichen Religionsgemeinschaft	10 Other non-christian denomination
	11 keiner Religionsgemeinschaft	11 No denomination
	98 Kann/will ich nicht sagen	98 Cannot tell / don't want to tell
<i>Interviewer Instruction</i>		
<i>Translation Note</i>		
<i>Note</i>		

Filter Variable(s) and Conditions:

--

Construction/Recoding:

Country Variable Codes/Construction Rules	→ RELIGGRP
C24 = 11	0.No religion
C24 = 1	1. Catholic
C24 = 2 OR C24 = 3	2. Protestant
C24 = 4	3. Orthodox
C24 = 5	4. Other Christian
C24 = 7	5. Jewish
C24 = 6	6. Islamic
C24 = 8	7. Buddhist
C24 = 9	8. Hindu
	9. Other Asian religions

C24 = 10	10. Other religions
C24 = 98	97. Refused
	98. Information insufficient
	99. No answer

Optional: Recoding Syntax

```
RECODE C24 (11=0) (1=1) (2=2) (3=2) (4=3) (5=4) (7=5) (6=6) (8=7) (9=8) (10=10) (98=97)
INTO RELIGGRP.
EXECUTE.
```

ISSP 2018 Austria

ATTEND – Attendance of religious services

	National Language	English Translation
<i>Question no. and text</i>	C25: Wie oft besuchen Sie im Allgemeinen den Gottesdienst?	How often do you attend to religious services in general?
<i>Codes/ Categories</i>	1 Mehrmals in der Woche	1 Several times a week
	2 einmal in der Woche	2 Once a week
	3 zwei- oder dreimal im Monat	3 2-3 times a month
	4 einmal im Monat	4 Around once a month
	5 mehrmals im Jahr	5 Several times a year
	6 Einmal im Jahr	5 Once a year
	7 seltener	6 less than several times a year
	8 nie	7 never
	99 keine Angabe	8 no answer
<i>Interviewer Instruction</i>		
<i>Translation Note</i>		
<i>Note</i>		

Filter Variable(s) and Conditions:

--

Construction/Recoding:

Country Variable Codes/Construction Rules	➔ ATTEND
C25 = 1	1. Several times a week or more often
C25 = 2	2. Once a week
C25 = 3	3. 2 or 3 times a month
C25 = 4	4. Once a month
C25 = 5	5. Several times a year
C25 = 6	6. Once a year
C25 = 7	7. Less frequently than once a year
C25 = 8	8. Never
	97. Refused
	98. Don't know
C25 = 99	99. No answer

Optional: Recoding Syntax

RECODE C25 (1=1) (2=2) (3=3) (4=4) (5=5) (6=6) (7=7) (8=8) (99=99) INTO ATTEND. EXECUTE.

TOPBOT - Top-Bottom self-placement

	National Language	English Translation
<i>Question no. and text</i>	B1: In unserer Gesellschaft gibt es Bevölkerungsgruppen, die eher oben stehen und solche, die eher unten stehen. Wir haben hier eine Skala, die von oben nach unten verläuft. Wenn Sie an sich selbst denken, wo würden Sie sich auf dieser Skala einordnen?	In our society, there are groups which tend to be towards the top and groups which tend to be towards the bottom. Here you see a scale that runs from the top to the bottom. Where would you put yourself on this scale?
<i>Codes/ Categories</i>	Metrisch	Metric
	10. Oben	Top
	1. Unten	Bottom
	98. Weiß nicht / keine Angabe	Don't know / no answer
<i>Interviewer Instruction</i>		
<i>Translation Note</i>		
<i>Note</i>		

Filter Variable(s) and Conditions:

--

Construction/Recoding:

Country Variable Codes/Construction Rules	➔ TOPBOT
B1 = 1	1. Lowest, Bottom
B1 = 2	2.
B1 = 3	3.
B1 = 4	4.
B1 = 5	5.
B1 = 6	6.
B1 = 7	7.
B1 = 8	8.
B1 = 9	9.
B1 = 10	10. Highest, Top
B1 = 98	98. Don't know
	99. No answer

Optional: Recoding Syntax

RECODE B1 (1=1) (2=2) (3=3) (4=4) (5=5) (6=6) (7=7) (8=8) (9=9) (10=10) (98=98) INTO TOPBOT. EXECUTE.
--

VOTE_LE - Did respondent vote in last general election?

	National Language	English Translation
<i>Question no. and text</i>	D22. Haben Sie am 15. Oktober letzten Jahres an den Nationalratswahlen teilgenommen?	Have you participated in the Austrian national elections on October 15 th last year?
<i>Codes/ Categories</i>	1. Ja	Yes
	2. Nein	No
	3. Nein, war nicht wahlberechtigt	No, I'm not eligible to vote
	9. Keine Angabe	No answer
<i>Interviewer Instruction</i>		
<i>Translation Note</i>		
<i>Note</i>		

Filter Variable(s) and Conditions:

--

Construction/Recoding:

Country Variable Codes/Construction Rules	→ VOTE_LE
D22 = 3	0. Not eligible to vote at last election
D22 = 1	1. Yes
D22 = 2	2. No
	7. Refused
D22 = 9	9. No answer

Optional: Recoding Syntax

```
RECODE D22 (3=0) (1=1) (2=2) (9=9) INTO VOTE_LE.
EXECUTE.
```

nat_PRTY - Country specific party voted for in last general election

	National Language	English Translation
<i>Question no. and text</i>	D23: Und sagen Sie mir, wen Sie gewählt haben?	And would you tell me who you voted for?
<i>Codes/ Categories</i>	1 SPÖ	Austrian social democratic party – SPOE
	2 ÖVP	Austrian peoples party – OEVP
	3 FPÖ	Austrian freedom party – FPOE
	4 GRÜNE	Green party – GRUENE
	5 NEOS	NEOS
	6 Liste Pilz	Liste Pilz
	7 GILT	GILT
	8 KPÖ	Communist party – KPOE
	9 WEISSE	WEISSE
	10 Eine andere Partei	A different party
	11 Keine Angabe	No answer
<i>Interviewer Instruction</i>		
<i>Translation Note</i>		
<i>Note</i>		

Filter Variable(s) and Conditions:

--

Construction/Recoding:

Country Variable Codes/Construction Rules	→ nat_PRTY
D23 = 1	1. Austrian social democratic party – SPOE
D23 = 2	2. Austrian peoples party – OEVP
D23 = 3	3. Austrian freedom party – FPOE
D23 = 4	4. Green party – GRUENE
D23 = 5	5. NEOS
D23 = 6	6. Liste Pilz
D23 = 7	7. GILT
D23 = 8	8. Communist party – KPOE
D23 = 9	9. WEISSE
D23 = 10	10. A different party
	96. Invalid ballot
	97. Refused
D23 = 99	99. No answer
sysmis	0. NAP (0, 2, 7 in VOTE_LE)

Optional: Recoding Syntax

```
RECODE D23 (1=1) (2=2) (3=3) (4=4) (5=5) (6=6) (7=7) (8=8) (9=9) (10=10) (99=99)
(SYSMIS=0) INTO AT_PRTY.
EXECUTE.
```

PARTY_LR - Party voted for in last general election: left-right scale

	National Language	English Translation
<i>Question no. and text</i>	Derived from D23	
<i>Codes/ Categories</i>		
<i>Interviewer Instructions</i>		
<i>Translation Note</i>		
<i>Note</i>		

Filter Variable(s) and Conditions:

--

Construction/Recoding:

Country Variable Codes/Construction Rules	→ PARTY_LR
D23 = 4 OR D23 = 6 OR D23 = 8 (GRUENE, Liste Pilz, KPOE)	1. Far left (communist, etc.)
D23 = 1 (SPOE)	2. Left / centre left
D23 = 5 (NEOS)	3. Centre / liberal
D23 = 2 (OEVF)	4. Right / conservative
D23 = 3 (FPOE)	5. Far right (fascist, etc.)
D23 = 7 OR D23 = 9 (GILT, WEISSE)	6. Other
	7. No party affiliation
	96. Invalid ballot
	97. Refused
D23 = 10	98. Insufficient information to code into scheme
D23 = 99	99. No answer
sysmis	0. NAP (0, 2, 7 in VOTE_LE)

Optional: Recoding Syntax

```
RECODE D23 (1=2) (2=4) (3=5) (4=1) (5=3) (6=1) (7=6) (8=1) (9=6) (10=98) (99=99)
(SYSMIS=0) INTO PARTY_LR.
EXECUTE.
```

nat_ETHN1 – Country-specific: ethnic group 1

	National Language	English Translation
<i>Question no. and text</i>	D30: Und wo wurde Ihr Vater geboren?	And where was your father born?
<i>Codes/ Categories</i>	1. In Österreich	In Austria
	2. In Deutschland	In Germany
	3. In der Türkei	In Turkey
	4. In Slowenien	In Slovenia
	5. In Serbien	In Serbia
	6. In Kroatien	In Croatia
	7. In Bosnien-Herzegowina	In Bosnia Herzegowina
	8. In Mazedonien	In Macedonia
	9. In einem anderen Land	In a different country
	98. Weiß nicht	Don't know
	99. Keine Angabe	No answer
<i>Interviewer Instruction</i>		
<i>Question no. and text</i>	D31: Und wo wurde Ihre Mutter geboren?	And where was your mother born?
<i>Codes/ Categories</i>	1. In Österreich	In Austria
	2. In Deutschland	In Germany
	3. In der Türkei	In Turkey
	4. In Slowenien	In Slovenia
	5. In Serbien	In Serbia
	6. In Kroatien	In Croatia
	7. In Bosnien-Herzegowina	In Bosnia Herzegowina
	8. In Mazedonien	In Macedonia
	9. In einem anderen Land	In a different country
	98. Weiß nicht	Don't know
	99. Keine Angabe	No answer
<i>Interviewer Instruction</i>		
<i>Translation Note</i>		
<i>Note</i>		

Filter Variable(s) and Conditions:

--

Construction/Recoding:

Country Variable Codes/Construction Rules	→ ETHN1
If D30 = 1 AND D31 = 1	1. Both parents born in Austria
If (D30 = 1 AND (D31 = 2 OR D31 = 3 OR D31 = 4 OR D31 = 5 OR D31 = 6 OR D31 = 7 OR D31 = 8 OR D31 = 9)) OR ((D30 = 2 OR D30 = 3 OR D30 = 4 OR D30 = 5 OR D30 = 6 OR D30 = 7 OR D30 = 8 OR D30 = 9) AND D31 = 1)	2. One parent born abroad
If (D30 = 2 OR D30 = 3 OR D30 = 4 OR D30 = 5 OR D30 = 6 OR D30 = 7 OR D30 = 8 OR D30 = 9) AND	3. Both parents born abroad

((D31 = 2 OR D31 = 3 OR D31 = 4 OR D31 = 5 OR D31 = 6 OR D31 = 7 OR D31 = 8 OR D31 = 9)	
sysmis	99. No answer

Optional: Recoding Syntax

IF (D30 = 1 AND D31 = 1) AT_ETHN1=1.
EXECUTE.

IF ((D30 = 1 AND (D31 = 2 OR D31 = 3 OR D31 = 4 OR D31 = 5 OR D31 = 6 OR D31 = 7 OR D31 = 8 OR D31 = 9)) OR ((D30 = 2 OR D30 = 3 OR D30 = 4 OR D30 = 5 OR D30 = 6 OR D30 = 7 OR D30 = 8 OR D30 = 9) AND D31 = 1)) AT_ETHN1=2.
EXECUTE.

IF ((D30 = 2 OR D30 = 3 OR D30 = 4 OR D30 = 5 OR D30 = 6 OR D30 = 7 OR D30 = 8 OR D30 = 9) AND (D31 = 2 OR D31 = 3 OR D31 = 4 OR D31 = 5 OR D31 = 6 OR D31 = 7 OR D31 = 8 OR D31 = 9)) AT_ETHN1=3.
EXECUTE.

RECODE AT_ETHN1 (SYSMIS=99).
EXECUTE.

nat_ETHN2 – Country-specific: ethnic group 2

	National Language	English Translation
<i>Question no. and text</i>	Not asked	
<i>Codes/ Categories</i>		
<i>Interviewer Instruction</i>		
<i>Translation Note</i>		
<i>Note</i>		

Filter Variable(s) and Conditions:

--

Construction/Recoding:

Country Variable Codes/Construction Rules	→ nat_ETHN2
	...
	97. Refused
	98. Don't know
	99. No answer

Optional: Recoding Syntax

--

HOMPOP - How many persons in household

	National Language	English Translation
<i>Question no. and text</i>	D24: Wie viele Personen leben insgesamt in Ihrem Haushalt (Sie mitgerechnet)?	How many persons live in your household (including yourself)?
<i>Codes/ Categories</i>	1. 1 Person	1. 1 person (only respondent)
	2. 2 Personen	2. 2 persons

	8. 8 oder mehr Personen	8. 8 or more persons
	9. Keine Angabe	No answer
<i>Interviewer Instruction</i>		
<i>Translation Note</i>		
<i>Note</i>	This question summarizes more than 8 people as “8 or more persons”. Since only one individual reported “8 or more persons”, the results are not biased that much.	

Filter Variable(s) and Conditions:

--

Country Variable Codes/Construction Rules	→ HOMPOP
	00. Not a private household
D24 = 1	01. One person (only respondent)
...	...
D24 = 8	08. Eight persons
D24 = 9	99. No answer

Optional: Recoding Syntax

RECODE D24 (1=1) (2=2) (3=3) (4=4) (5=5) (6=6) (7=7) (8=8) (9=99) INTO HOMPOP.
EXECUTE.

HHCHILDR - How many children in household

	National Language	English Translation
<i>Question no. and text</i>	D25_2: Und wie viele davon sind Kinder von 14-17 Jahren?	How many of them are children from 14 to 17?
<i>Codes/ Categories</i>	Metrisch	metric
<i>Question no. and text</i>	D25_3: Und wie viele davon sind Kinder von 6-13 Jahren?	How many of them are children from 6 to 13?
	Metrisch	metric
<i>Interviewer Instruction</i>		
<i>Translation Note</i>		
<i>Note</i>	If filter question D24 IS NOT 1 OR 9, this results in missing values. Thus, we recoded system missing values as “No children” (since these individuals live alone)	

Filter Variable(s) and Conditions:

Only asked if D24 IS NOT 1 OR 9

Construction/Recoding: (list lowest, highest, and ‘missing’ codes only, replace terms in [square brackets] with real numbers.)

Country Variable Codes/Construction Rules	→ HHCHILDR
	00. No children
	01. One child
	...
	96. NAP (Code 0 in HOMPOP)
	99. No answer

Optional: Recoding Syntax

```
COMPUTE HHCHILDR=D25_2 + D25_3.
EXECUTE.

RECODE HHCHILDR (SYSMIS=0).
EXECUTE.
```

HHTODD - How many toddlers in household

	National Language	English Translation
<i>Question no. and text</i>	D25_4: Und wie viele davon sind Kinder von 3-5 Jahren?	How many of them are children from 3 to 5?
<i>Codes/ Categories</i>	Metrisch	Metric
<i>Question no. and text</i>	D25_5: Und wie viele davon sind Kinder von 0-2 Jahren?	How many of them are children from 2 to 0?
	Metrisch	metric
<i>Interviewer Instruction</i>		
<i>Translation Note</i>		
<i>Note</i>	If filter question D24 IS NOT 1 OR 9, this results in missing values. Thus, we recoded system missing values as “No toddlers” (since these individuals live alone)	

Filter Variable(s) and Conditions:

Only asked if D24 IS NOT 1 OR 9

Construction/Recoding: (list lowest, highest, and ‘missing’ codes only, replace terms in [square brackets] with real numbers.)

Country Variable Codes/Construction Rules	→ HHTODD
	00. No toddlers
	01. One toddler
	...
	96. NAP (Code 0 in HOMPOP)
	99: No answer

Optional: Recoding Syntax

```
COMPUTE HHTODD=D25_4 + D25_5.
EXECUTE.
```

nat_RINC – Country-specific: personal income

	National Language	English Translation
<i>Question no. and text</i>	D27_opn: Können Sie mir sagen, wie hoch ca. Ihr derzeitiges persönliches monatliches Nettoeinkommen ist? (OHNE 13./14 Bezug, OHNE Einmalzahlungen wie z.B. Prämien)	Can you tell me your current monthly net income? (Without 13 th /14 th salary, without one-time payments like premiums)
<i>Codes/ Categories</i>	Metrisch	metric
	-97. Kein eigenes Einkommen	No own income
	-99. Keine Angabe	No answer
<i>Interviewer Instruction</i>		
<i>Translation Note</i>		
<i>Note</i>	We asked about the NET income every month, not the GROSS income. Please enter name of the currency: Euro	

Filter Variable(s) and Conditions:

--

Construction/Recoding: (If the income information is collected by asking for income classes or brackets, please code class midpoints in local currency and report classes offered to respondents. If asking for individual amounts, list lowest, highest, and ‘missing’ codes only)

Country Variable Codes/Construction Rules	→nat_RINC
If D27_opn ≤ 250	125
If D27_opn ≥ 251 AND D27_opn ≤ 500	375
If D27_opn ≥ 501 AND D27_opn ≤ 750	625
If D27_opn ≥ 751 AND D27_opn ≤ 1000	875
If D27_opn ≥ 1001 AND D27_opn ≤ 1300	1150
If D27_opn ≥ 1301 AND D27_opn ≤ 1600	1450
If D27_opn ≥ 1601 AND D27_opn ≤ 1900	1750
If D27_opn ≥ 1901 AND D27_opn ≤ 2200	2050
If D27_opn ≥ 2201 AND D27_opn ≤ 2500	2350
If D27_opn ≥ 2501 AND D27_opn ≤ 3000	2750
If D27_opn ≥ 3001 AND D27_opn ≤ 3500	3250
If D27_opn ≥ 3501 AND D27_opn ≤ 4000	3750
If D27_opn ≥ 4001 AND D27_opn ≤ 5000	4500
If D27_opn ≥ 5001 AND D27_opn ≤ 6000	5500
If D27_opn ≥ 6001	6500
D27_opn = -97	000000. No income
	999997. Refused
	999998. Don't know
D27_opn = -99	999999. No answer

Optional: Recoding Syntax

```
RECODE D27_opn (-97=000000) (-99=999999) (1 thru 250=125) (251 thru 500=375) (501 thru  
750=625) (751 thru 1000=875) (1001 thru 1300=1150) (1301 thru 1600=1450) (1601 thru  
1900=1750) (1901 thru 2200=2050) (2201 thru 2500=2350) (2501 thru 3000=2750) (3001 thru  
3500=3250) (3501 thru 4000=3750) (4001 thru 5000=4500) (5001 thru 6000=5500) (6001 thru  
Highest=6500) INTO AT_RINC.  
EXECUTE.
```

ISSP 2018 Austria

nat_INC – Country-specific: household income

	National Language	English Translation
<i>Question no. and text</i>	D28_opn: Nun denken Sie bitte an alle Einkünfte aller Haushaltsmitglieder: Erwerbseinkommen, Pensionen, Sozialleistungen (z.B. Familienbeihilfe), regelmäßige private Geldleistungen usw. Können Sie mir sagen, wieviel Einkommen ca. Ihrem Haushalt NETTO pro Monat VOR Abzug allfälliger Ausgaben wie Miete etc. zur Verfügung steht	Now please think about the earnings of all household members: Income, retirement annuity, social benefits (for example family benefit), regular private cash benefits etc. Can you tell me, how much net-income is available in your household monthly before all expenses like rent etc.?
<i>Codes/ Categories</i>	Metrisch	metric
	-97. Kein eigenes Einkommen	No own income
	-99. Keine Angabe	No answer
<i>Interviewer Instruction</i>		
<i>Translation Note</i>		
<i>Note</i>	<p>We asked about the NET income every month, not the GROSS income. Please enter name of the currency: Euro</p> <p>One participant reported a monthly household income of 3 Euro, another one of 5 Euro. We excluded both participants and labelled them as “No answer”.</p>	

Filter Variable(s) and Conditions:

--

Construction/Recoding: (If the income information is collected by asking for income classes or brackets, please code class midpoints in local currency and report classes offered to respondents. If asking for individual amounts, list lowest, highest, and ‘missing’ codes only)

Country Variable Codes/Construction Rules	→nat_INC
If D28_opn ≥ 1 AND D28_opn ≤ 600	300
If D28_opn ≥ 601 AND D28_opn ≤ 900	750
If D28_opn ≥ 901 AND D28_opn ≤ 1200	1050
If D28_opn ≥ 1201 AND D28_opn ≤ 1500	1350
If D28_opn ≥ 1501 AND D28_opn ≤ 1800	1650
If D28_opn ≥ 1801 AND D28_opn ≤ 2200	2000
If D28_opn ≥ 2201 AND D28_opn ≤ 2600	2400
If D28_opn ≥ 2601 AND D28_opn ≤ 3000	2800
If D28_opn ≥ 3001 AND D28_opn ≤ 3500	3250
If D28_opn ≥ 3501 AND D28_opn ≤ 4000	3750
If D28_opn ≥ 4001 AND D28_opn ≤ 4500	4250
If D28_opn ≥ 4501 AND D28_opn ≤ 5000	4750
If D28_opn ≥ 5001 AND D28_opn ≤ 6000	5500
If D28_opn ≥ 6001 AND D28_opn ≤ 8000	7000
If D28_opn ≥ 8001	9000
D28_opn = -97	000000. No income
	999997. Refused

	999998. Don't know
D28_opn = -99	999999. No answer

Optional: Recoding Syntax

```
RECODE D28_opn (-97=000000) (-99=999999) (1 thru 600=300) (601 thru 900=750) (901 thru
1200=1050) (1201 thru 1500=1350) (1501 thru 1800=1650) (1801 thru 2200=2000) (2201 thru
2600=2400) (2601 thru 3000=2800) (3001 thru 3500=3250) (3501 thru 4000=3750) (4001 thru
4500=4250) (4501 thru 5000=4750) (5001 thru 6000=5500) (6001 thru 8000=7000) (8001 thru
Highest=9000) INTO AT_INC.
EXECUTE.
```

ISSP 2018 Austria

MARITAL – Legal partnership status

	National Language	English Translation
<i>Question no. and text</i>	D13: Nun kurz einige Fragen zu Ihrer Lebenssituation: Welchen Familienstand haben Sie?	Now some questions about your life situation: What is your marital status?
<i>Codes/ Categories</i>	1. Verheiratet	Married
	2. Eingetragene Lebenspartnerschaft	Civil partnership
	3. Geschieden / getrennt	Divorced/separated
	4. Verwitwet / Lebenspartner/in verstorben	Widowed/civil partner died
	5. Ledig	Single
	9. Keine Angabe	No answer
<i>Interviewer Instruction</i>		
<i>Translation Note</i>		
<i>Note</i>		

Construction/Recoding:

Country Variable Codes/Construction Rules	→ Marital
D13 = 1	1. Married
D13 = 2	2. Civil partnership
IF (D13 = 1 OR D13 = 2) AND D14 = 2	3. Separated from spouse/civil partner (still legally married/still legally in a civil partnership)
D13 = 3	4. Divorced from spouse/legally separated from civil partner
D13 = 4	5. Widowed/civil partner died
D13 = 5	6. Never married/never in a civil partnership
	7. Refused
D13 = 9	9. No answer

Optional: Recoding Syntax

RECODE D13 (1=1) (2=2) (3=4) (4=5) (5=6) (9=9) INTO MARITAL.
EXECUTE.

IF ((D13 = 1 OR D13 = 2) AND D14 = 2) MARITAL=3.
EXECUTE.

F_BORN – Father's country of birth

	National Language	English Translation
<i>Question no. and text</i>	D30: Und wo wurde Ihr Vater geboren?	And where was your father born?
<i>Codes/ Categories</i>	1. In Österreich	In Austria
	2. In Deutschland	In Germany
	3. In der Türkei	In Turkey
	4. In Slowenien	In Slovenia
	5. In Serbien	In Serbia
	6. In Kroatien	In Croatia
	7. In Bosnien-Herzegowina	In Bosnia Herzegowina
	8. In Mazedonien	In Macedonia
	9. In einem anderen Land	In a different country
	98. Weiß nicht	Don't know
	99. Keine Angabe	No answer
<i>Interviewer Instruction</i>		
<i>Translation Note</i>		
<i>Note</i>	If participants answered “In a different country”, we noted the country and assigned the right code for this variable by hand.	

Filter Variable(s) and Conditions:

--

Construction/Recoding:

Country Variable Codes/Construction Rules	→F_BORN
D30 = 1	040 Austria
D30 = 2	276 Germany
D30 = 3	792 Turkey
D30 = 4	705 Slovenia
D30 = 5	688 Serbia
D30 = 6	191 Croatia
D30 = 7	070 Bosnia and Herzegovina
D30 = 8	807 Macedonia, the former Yugoslav Republic of
D30 = 9	<i>No code, but a note. Assignment of the right code by hand</i>
	997. Refused
D30 = 99 OR D30 = 98	999. No answer

Optional: Recoding Syntax

```
RECODE D30 (1=040) (2=276) (3=792) (4=705) (5=688) (6=191) (7=070) (8=807) (99=999)
(98=999) INTO F_BORN.
EXECUTE.
```

M_BORN – Mother's country of birth

	National Language	English Translation
<i>Question no. and text</i>	D31: Und wo wurde Ihre Mutter geboren?	And where was your mother born?
<i>Codes/ Categories</i>	1. In Österreich	In Austria
	2. In Deutschland	In Germany
	3. In der Türkei	In Turkey
	4. In Slowenien	In Slovenia
	5. In Serbien	In Serbia
	6. In Kroatien	In Croatia
	7. In Bosnien-Herzegowina	In Bosnia Herzegowina
	8. In Mazedonien	In Macedonia
	9. In einem anderen Land	In a different country
	98. Weiß nicht	Don't know
	99. Keine Angabe	No answer
<i>Interviewer Instruction</i>		
<i>Translation Note</i>		
<i>Note</i>	If participants answered "In a different country", we noted the country and assigned the right code for this variable by hand.	

Filter Variable(s) and Conditions:

--

Construction/Recoding:

Country Variable Codes/Construction Rules	→M_BORN
D31 = 1	040 Austria
D31 = 2	276 Germany
D31 = 3	792 Turkey
D31 = 4	705 Slovenia
D31 = 5	688 Serbia
D31 = 6	191 Croatia
D31 = 7	070 Bosnia and Herzegovina
D31 = 8	807 Macedonia, the former Yugoslav Republic of
D31 = 9	<i>No code, but a note. Assignment of the right code by hand</i>
	997. Refused
D31 = 99 OR D31 = 98	999. No answer

Optional: Recoding Syntax

```
RECODE D31 (1=040) (2=276) (3=792) (4=705) (5=688) (6=191) (7=070) (8=807) (99=999)
(98=999) INTO M_BORN.
EXECUTE.
```

URBRURAL – Place of living: urban - rural

	National Language	English Translation
<i>Question no. and text</i>	INTA: Befragte/r wohnt:	Respondent lives...
<i>Codes/ Categories</i>	1. In einer Großstadt (über 100.000 Einwohner)	1. A big city (over 100.000 inhabitants)
	2. Am Rand oder in einem Vorort einer Großstadt	2. The suburbs or outskirts of a big city
	3. In einer größeren Stadt (40.000 – 100.000 Einwohner)	3. In a bigger city (40.000 – 100.000 inhabitants)
	4. In einer Klein- oder mittleren Stadt (5.000 – unter 40.000 Einwohner)	3. In a small or middle city (5.000 – under 40.000 inhabitants)
	5. In einem Dorf	4. A village
	6. In einem alleinstehenden Haus oder Hof am Land	5. In a single house or farm house at the countryside
<i>Interviewer Instruction</i>		
<i>Translation Note</i>		
<i>Note</i>	No missing values	

Filter Variable(s) and Conditions:

--

Construction/Recoding:

Country Variable Codes/Construction Rules	→ URBRURAL
INTA = 1	1. A big city
INTA = 2	2. The suburbs or outskirts of a big city
INTA = 3 OR INTA = 4	3. A town or a small city
INTA = 5	4. A country village
INTA = 6	5. A farm or home in the country
	9. No answer

Optional: Recoding Syntax

RECODE INTA (1=1) (2=2) (3=3) (4=3) (5=4) (6=5) INTO URBRURAL. EXECUTE.
--

nat_REG – Country specific: region

	National Language	English Translation
<i>Question no. and text</i>	INTB: Bundesland:	Province:
<i>Codes/ Categories</i>	1. Wien	Vienna
	2. Niederösterreich	Lower Austria
	3. Burgenland	Burgenland
	4. Oberösterreich	Upper Austria
	5. Steiermark	Styria
	6. Kärnten	Carinthia
	7. Salzburg	Salzburg
	8. Tirol	Tyrol
	9. Vorarlberg	Vorarlberg
<i>Interviewer Instruction</i>		
<i>Translation Note</i>		
<i>Note</i>	No missing values	

Filter Variable(s) and Conditions:

--

Construction/Recoding:

Country Variable Codes/Construction Rules	→ nat_REG
INTB = 9	1. Vorarlberg
INTB = 8	2. Tirol
INTB = 7	3. Salzburg
INTB = 4	4. Oberoesterreich
INTB = 6	5. Kaernten
INTB = 5	6. Steiermark
INTB = 3	7. Burgenland
INTB = 2	8. Niederoesterreich
INTB = 1	9. Wien

Optional: Recoding Syntax

```
RECODE INTB (9=1) (8=2) (7=3) (6=5) (4=4) (5=6) (3=7) (2=8) (1=9) INTO AT_REG.
EXECUTE.
```

SUBSCASE – Case substitution flag

	National Language	English Translation
<i>Question no. and text</i>		
<i>Codes/ Categories</i>		
<i>Interviewer Instruction</i>		
<i>Translation Note</i>		
<i>Note</i>		

Filter Variable(s) and Conditions:

--

Construction/Recoding:

Country Variable Codes/Construction Rules	→ SUBSCASE
	0. NAP, no substitution in this survey
	1. Case from original sample
	2. Case substituted

Optional: Recoding Syntax

--

WEIGHT – Weighting factor

Please report on whether you calculate any weighting variables. If you adjust for non-response bias, please enter the variable(s) on which the sample's distribution(s) is (are) adjusted to the population distribution(s). Please, also report if you apply any kind of rescaling.

<i>Design weight to adjust for unequal selection probabilities</i>	No	[]
	Yes	[]
<i>Weight to adjust for non-response bias</i>	No	[]
	Yes	[] → please specify variables used for calculation of weight
<i>Are the final weights rescaled to net sample size (thus weighted sample size=unweighted sample size)?</i>	No	[] → please specify target population represented by sum of all case weights
	Yes	[]
<i>Note</i>		

Construction/Recoding:

Country Variable Codes/Construction Rules	→ WEIGHT
	1. No weighting

MODE – Administrative mode of data-collection

<i>Note</i>	
-------------	--

Construction/Recoding:

Country Variable Codes/Construction Rules	→ Mode
	10. F2f/PAPI, no visuals
	11. F2f/PAPI, visuals
	12. F2f/PAPI, respondent reading questionnaire
	13. F2f/PAPI, interpreter or translator – no visuals
	14. F2f/PAPI, interpreter or translator – visuals
	20. CAPI, no visuals
	21. CAPI, visuals
	22. CAPI, respondent reading questionnaire (paper or on monitor)
	23. CAPI, interpreter or translator – no visuals
	24. CAPI, interpreter or translator – visuals
	30. SC, arrives with interviewer, interviewer attending
	31. SC, arrives with interviewer, drops-off, picks up later
	32. SC, arrives with interviewer, drops off, mailed back by R
	33. SC, mailed to, completed by R and hold for pick up
	34. SC, mailed to, mailed back by R
	40. CASI, self-completion, computer-assisted
	41. Self-completion, web questionnaire
	52. CAPI, phone
	60. CATI, computer assisted telephone interview